Contents

Setting Up the Numark 4TRAK with the included Traktor 4TRAK Edition 2 Software

1. Make sure you have the latest available 4TRAK drivers for your system installed on your computer. Visit http://www.numark.com/4trak.

2. Before to launching Traktor 2 for the first time, make sure that…

   1. The 4TRACK is connected to a USB 2.0 port on your computer. If you are using a desktop computer, use a port on the rear of the computer.
   2. That the 4TRAK is powered on.
   3. That the drivers have been installed. Note: always restart your computer after installing or updating drivers.

3. Next, make sure you have the latest version of Traktor 4TRAK Edition 2 installed.

   ❓ Need help authorizing the included software? Just visit the link below:

   - www.numark.com/authorizationhelp

   Launch Traktor 2, then go to **Help > Launch Service Center**. Select the **Updates** tab and make sure you download any **Traktor 2** updates you see.

4. Next, in Traktor 2, go to **Help** > **Start Setup Wizard**.

5. In the window that opens, click **Finish**. The software will attempt to set itself up automatically. The **Setup Wizard** window will close.

    Note: this step will not succeed if your 4TRAK is not connected and powered on, or if the 4TRAK drivers have not been installed.


6. Next, in the upper-right of the Traktor 2 main window, click the gear-shaped button to open the **Preferences** window.

7. On the left-hand side of the window that opens, select **Controller Manager**.


8. Under **Device Setup**, select the **Device** menu, and choose **Numark/4TRAK.Main**.

9. For the **Numark/4TRAK.Main**, set **In-Port** to the following:

    Windows XP   **Windows 7, Vista, and Macintosh**

   Set the **In-Port** to **Numark 4Trak MIDI**   Set the **In-Port** to **4Trak (MIDI**)

2

10. Set **Out-Port** to the following: **Numark 4Trak MIDI**.

Windows XP	**Windows 7, Vista, and Macintosh**
Set the **Out-Port** to **Numark 4Trak MIDI**	Set the **Out-Port** to **4Trak (MIDI**)

11. Select the **Device** menu again, and choose **Numark.4TRAK.FX**.

12. For the **Numark.4TRAK.FX**, set **In-Port** to the following:

| **Windows XP**	**Windows 7, Vista, and Macintosh**
Set the **In-Port** to **USB Audio Device**	Set the **In-Port** to **4Trak-FX (Port 1)**

13. For the **Numark.4TRAK.FX**, set **Out-Port** to the following:

| **Windows XP**	**Windows 7, Vista, and Macintosh**
Set the **Out-Port** to **USB Audio Device**	Set the **Out-Port** to **4Trak-FX (Port 1)**

14. At the bottom-left of the window, click **Close**.

My ASSIGN Knob and ASSIGN Sliders don't work. Is something wrong?

The knobs and sliders labeled **ASSIGN** are left open for the user to assign themselves. These can be assigned to a control of your choosing by opening **Preferences > Controller Manger**.

The MODE button on the FX bar doesn't function. Is something wrong?

The **MODE** buttons on the left and right side of the FX bar correspond to functions in Traktor PRO 2, and do not have a function when used with Traktor 4TRAK Edition 2.

How do I assign effects to each deck?

While holding down the **FX MIX** button, turn the **1**, **2**, or **3** knob to assign an effect to the first, second, or third effects bank.

Technical Support

Have Questions? Need Help? Just visit the link below:

- www.numark.com/supporthome

Need help authorizing the included software? Just visit the link below:

- www.numark.com/authorizationhelp